



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

holds that the quartz porphyry and the underlying syenite are essentially contemporaneous parts of a composite laccolith. It is suggested that the heated condition of the syenite at the time of the quartz-porphyry intrusion favored notable differentiation by prolonging the magmatic life of the later intrusive.

The origin of the ore inclusions in the porphyry is the crucial point in any hypothesis of the origin of the Kiruna ores. Professor Daly's view is a satisfactory interpretation of the field relations; likewise it accords best with recent opinion concerning differentiation processes.

H. R. B.

Journal of the Washington Academy of Sciences, V, 1915, 687 pages.

Articles of geologic interest in recent numbers of the *Journal* are: "The Paleozoic Section of the Ray Quadrangle, Ariz.," by F. L. Ransome; "Factors in the Movement of the Strand Line," by Joseph Barrell; "The Calculation of the Calcium Orthosilicate in the Norm of Igneous Rocks," by H. S. Washington; and "The Solubility of Calcite in Water in Contact with the Atmosphere, and Its Variation with Temperature," by R. C. Wells. Chase Palmer contributes an article on "Bornite as Silver Precipitant."

H. R. B.

Mineral Land Classification in Part of Northwestern Wisconsin.

By W. O. HOTCHKISS, assisted by E. F. BEAN and O. W. WHEELWRIGHT. Wisconsin Geol. and Nat. Hist. Survey, Bull. No. 44, 1915. Pp. 376, pls. 8, figs. 39, maps 90.

This volume constitutes the report on the land classification of 87 townships in northern Wisconsin. The work was done during the field seasons of 1913 and 1914. The object of the survey was "to discover the evidence that exists as to the presence or absence of iron-bearing rocks, and as to the geologic structure of the region." The difficulties encountered either by the geologist who attempts to unravel the pre-Cambrian geology of this heavily drift-covered area, or by those who seek to locate iron ores here may be appreciated from the fact that in this area of over 2,000,000 acres the total exposed area of rocks of all kinds does not exceed 300 acres. Naturally, the report is based largely on the comprehensive series of magnetic observations.

Part I includes chapters treating of the methods of field work, general geology of the area covered, magnetic observations, land classi-